



Detailed LED Specification

SKU	DESCRIPTION	EAN	INNER BOX	OUTER BOX	WATTS	VOLTS	FREQUENCY	BASE	ENERGY CLASS	LUMENS	CRI	USABLE FLUX IN 90° CONE	BEAM ANGLE	COLOUR TEMP IN KELVIN	POWER FACTOR	WARM UP TIME	AVERAGE LIFE IN HOURS	DIMMABLE	SUITABLE FOR ACCENT LIGHTING	DIMENSIONS	SWITCHING CYCLES
CEL/LED/4WBC3K	CEL LED 4W BC 3000K	5051203146489	25	100	4W	240V	50/60Hz	BC/B22	A	300	>80	N/A	360	3000K	0.54	Instant Full Light	30,000	Non Dimmable	No	110mmx 38mm	>15,000
CEL/LED/4WSBC3K	CEL LED 4W SBC 3000K	5051203147240	25	100	4W	240V	50/60Hz	SBC/B15D	A	300	>80	N/A	360	3000K	0.54	Instant Full Light	30,000	Non Dimmable	No	110mmx 38mm	>15,000
CEL/LED/4WSES3K	CEL LED 4W SES 3000K	5051203146458	25	100	4W	240V	50/60Hz	SES/E14	A	300	>80	N/A	360	3000K	0.54	Instant Full Light	30,000	Non Dimmable	No	110mmx 38mm	>15,000
CEL/LEDFIL/2W/BC	LED FILAMENT CANDLE 2W BC	5051203147905	10	100	2W	240V	50/60Hz	BC/B22	A++	200	>80	N/A	360	2700K	0.5	Instant Full Light	25,000	Non Dimmable	No	97mm x 35mm	>13,000
CEL/LEDFIL/2W/SBC	LED FILAMENT CANDLE 2W SBC	5051203147936	10	100	2W	240V	50/60Hz	SBC/B15D	A++	200	>80	N/A	360	2700K	0.5	Instant Full Light	25,000	Non Dimmable	No	97mm x 35mm	>13,000
CEL/LEDFIL/3W/BC	LED FILAMENT CANDLE 3W BC	5051203147097	10	100	3W	240V	50/60Hz	BC/B22	A++	320	>80	N/A	360	2700K	0.5	Instant Full Light	25,000	Non Dimmable	No	98mm x 35mm	>13,000
CEL/LEDFIL/3W/BCD	LED FIL CANDLE 3W BC DIMMABLE WITH COLLAR	5051203149664	10	100	3W	240V	50/60Hz	BC/B22	A++	340	>80	N/A	360	2700K	0.931	Instant Full Light	25,000	Dimmable	No	98mm x 35mm	>13,000
CEL/LEDFIL/3W/ES	LED FILAMENT CANDLE 3W ES	5051203147127	10	100	3W	240V	50/60Hz	ES/E27	A++	320	>80	N/A	360	2700K	0.54	Instant Full Light	25,000	Non Dimmable	No	98mm x 35mm	>13,000
CEL/LEDFIL/3W/SBC	LED FILAMENT CANDLE 3W SBC	5051203147158	10	100	3W	240V	50/60Hz	SBC/B15D	A++	320	>80	N/A	360	2700K	0.54	Instant Full Light	25,000	Non Dimmable	No	98mm x 35mm	>13,000
CEL/LEDFIL/3W/SBCD	LED FIL CANDLE 3W SBC DIMMABLE	5051203149725	10	100	3W	240V	50/60Hz	SBC/B15D	A++	340	>80	N/A	360	2700K	0.932	Instant Full Light	25,000	Dimmable	No	116mm x 35mm	>13,000
CEL/LEDFIL/3W/SES	LED FILAMENT CANDLE 3W SES	5051203147189	10	100	3W	240V	50/60Hz	SES/E14	A++	320	>80	N/A	360	2700K	0.54	Instant Full Light	25,000	Non Dimmable	No	98mm x 35mm	>13,000
CEL/LEDFIL/3W/SESD	LED FIL CANDLE 3W SES DIMMABLE	5051203149695	10	100	3W	240V	50/60Hz	SES/E14	A++	340	>80	N/A	360	2700K	0.936	Instant Full Light	25,000	Dimmable	No	116mm x 35mm	>13,000
CEL/LEDFIL/3W/BC	LED FLAME TIP CANDLE 3W BC	5051203148056	10	100	3W	240V	50/60Hz	BC/B22	A++	320	>80	N/A	360	2700K	0.54	Instant Full Light	25,000	Non Dimmable	No	119mm x 35mm	>13,000
CEL/LEDFIL/3W/SBC	LED FLAME TIP CANDLE 3W SBC	5051203148087	10	100	3W	240V	50/60Hz	SBC/B15D	A++	320	>80	N/A	360	2700K	0.54	Instant Full Light	25,000	Non Dimmable	No	119mm x 35mm	>13,000
CEL/LEDFIL/3W/SES	LED FLAME TIP CANDLE 3W SES	5051203148117	10	100	3W	240V	50/60Hz	SES/E14	A++	320	>80	N/A	360	2700K	0.54	Instant Full Light	25,000	Non Dimmable	No	119mm x 35mm	>13,000
FUNKYFIL/ST64/4W/ES/BLUE	ST64 LED FILAMENT 110V-240V 4W ES BLUE	5051203151377	10	40	4W	110V-240V	50/60Hz	ES/E27			N/A	N/A	360		0.525	Instant Full Light	25,000	Non Dimmable	No	138mm x 64mm	>13,000
FUNKYFIL/ST64/4W/ES/GREEN	ST64 LED FILAMENT 110V-240V 4W ES GREEN	5051203151407	10	40	4W	110V-240V	50/60Hz	ES/E27			N/A	N/A	360		0.525	Instant Full Light	25,000	Non Dimmable	No	138mm x 64mm	>13,000
FUNKYFIL/ST64/4W/ES/MAGENTA	ST64 LED FILAMENT 110V-240V 4W ES MAGENTA	5051203151438	10	40	4W	110V-240V	50/60Hz	ES/E27			N/A	N/A	360		0.525	Instant Full Light	25,000	Non Dimmable	No	138mm x 64mm	>13,000
FUNKYFIL/ST64/4W/ES/PINK	ST64 LED FILAMENT 110V-240V 4W ES PINK	5051203151469	10	40	4W	110V-240V	50/60Hz	ES/E27			N/A	N/A	360		0.525	Instant Full Light	25,000	Non Dimmable	No	138mm x 64mm	>13,000
FUNKYFIL/ST64/4W/ES/RED	ST64 LED FILAMENT 110V-240V 4W ES RED	5051203151490	10	40	4W	110V-240V	50/60Hz	ES/E27			N/A	N/A	360		0.525	Instant Full Light	25,000	Non Dimmable	No	138mm x 64mm	>13,000
FUNKYFIL/ST64/4W/ES/YELLOW	ST64 LED FILAMENT 110V-240V 4W ES YELLOW	5051203151520	10	40	4W	110V-240V	50/60Hz	ES/E27			N/A	N/A	360		0.525	Instant Full Light	25,000	Non Dimmable	No	138mm x 64mm	>13,000
FUNKYFIL/T45/4W/ES/BLUE	T45 LED FILAMENT 110V-240V 4W ES BLUE	5051203151551	10	100	4W	110V-240V	50/60Hz	ES/E27			N/A	N/A	360		0.51	Instant Full Light	25,000	Non Dimmable	No	110mm x 45mm	>13,000
FUNKYFIL/T45/4W/ES/GREEN	T45 LED FILAMENT 110V-240V 4W ES GREEN	5051203151582	10	100	4W	110V-240V	50/60Hz	ES/E27			N/A	N/A	360		0.51	Instant Full Light	25,000	Non Dimmable	No	110mm x 45mm	>13,000
FUNKYFIL/T45/4W/ES/MAGENTA	T45 LED FILAMENT 110V-240V 4W ES MAGENTA	5051203151612	10	100	4W	110V-240V	50/60Hz	ES/E27			N/A	N/A	360		0.51	Instant Full Light	25,000	Non Dimmable	No	110mm x 45mm	>13,000
FUNKYFIL/T45/4W/ES/PINK	T45 LED FILAMENT 110V-240V 4W ES PINK	5051203151643	10	100	4W	110V-240V	50/60Hz	ES/E27			N/A	N/A	360		0.51	Instant Full Light	25,000	Non Dimmable	No	110mm x 45mm	>13,000
FUNKYFIL/T45/4W/ES/RED	T45 LED FILAMENT 110V-240V 4W ES RED	5051203151674	10	100	4W	110V-240V	50/60Hz	ES/E27			N/A	N/A	360		0.51	Instant Full Light	25,000	Non Dimmable	No	110mm x 45mm	>13,000
FUNKYFIL/T45/4W/ES/YELLOW	T45 LED FILAMENT 110V-240V 4W ES YELLOW	5051203151704	10	100	4W	110V-240V	50/60Hz	ES/E27			N/A	N/A	360		0.51	Instant Full Light	25,000	Non Dimmable	No	110mm x 45mm	>13,000
G125/LEDFIL/4W/ES/DS	G125 LED FIL 4W ES 2200K DIM SMOKED GLASS	5051203150516	10	20	4W	240V	50/60Hz	ES/E27	A	130	>80	N/A	360	2200K	0.85	Instant Full Light	25,000	Dimmable	No	125mm x 176mm	>13,000



Detailed LED Specification

SKU	DESCRIPTION	EAN	INNER BOX	OUTER BOX	WATTS	VOLTS	FREQUENCY	BASE	ENERGY CLASS	LUMENS	CRI	USABLE FLUX IN 90° CONE	BEAM ANGLE	COLOUR TEMP IN KELVIN	POWER FACTOR	WARM UP TIME	AVERAGE LIFE IN HOURS	DIMMABLE	SUITABLE FOR ACCENT LIGHTING	DIMENSIONS	SWITCHING CYCLES
G125/LEDFIL/6W/BC	GLOBE LED FILAMENT 125MM 6W BC	5051203149183	10	20	6W	240V	50/60Hz	BC/B22	A++	650	>80	N/A	360	2700K	0.55	Instant Full Light	25,000	Non Dimmable	No	125mm x 176mm	>13,000
G125/LEDFIL/6W/BC22D	G125 LED FIL 6W BC 2200K DIM	5051203149909	10	20	6W	240V	50/60Hz	BC/B22	A+	420	>80	N/A	360	2200K	0.8	Instant Full Light	25,000	Dimmable	No	125mm x 176mm	>13,000
G125/LEDFIL/6W/ES	GLOBE LED FILAMENT 125MM 6W ES	5051203149213	10	20	6W	240V	50/60Hz	ES/E27	A++	650	>80	N/A	360	2700K	0.55	Instant Full Light	25,000	Non Dimmable	No	125mm x 176mm	>13,000
G125/LEDFIL/6W/ES22D	G125 LED FIL 6W ES 2200K DIM	5051203149930	10	20	6W	240V	50/60Hz	ES/E27	A+	420	>80	N/A	360	2200K	0.8	Instant Full Light	25,000	Dimmable	No	125mm x 176mm	>13,000
G125/LEDFIL/6W/ES22KC	G125 6w ES 2200K CRACKLE GLAZED	5051203150479	10	20	6W	240V	50/60Hz	ES/E27	A+	400	>80	N/A	360	2200K	0.55	Instant Full Light	25,000	Non Dimmable	No	125mm x 176mm	>13,000
G125/LEDFIL/6W/ES22KDC	G125 6w ES 2200K DIMMABLE CRACKLE GLAZED	5051203150448	10	20	6W	240V	50/60Hz	ES/E27	A+	400	>80	N/A	360	2200K	0.55	Instant Full Light	25,000	Dimmable	No	125mm x 176mm	>13,000
G200/LEDFIL/4W/ES/DS	G200 LED FIL 4W ES 2200K DIM SMOKED GLASS SPIRAL FILAMENT	5051203150578	1	6	4W	240V	50/60Hz	ES/E27	A+	130	>80	N/A	360	2200K	0.92	Instant Full Light	25,000	Dimmable	No	200mm x 310mm	>13,000
G4/LED/1.2W/SIL/27	G4 LED 1.2W SILICONE 2700K	5051203148346	100	1000	1.2W	12V	50/60Hz	G4	A++	110	>80	N/A	360	2700K	0.56	Instant Full Light	25,000	Non Dimmable	No	30mm x 10mm	>15,000
G4/LED/1.2W/SIL/42	G4 LED 1.2W SILICONE 4200K	5051203148940	100	1000	1.2W	12V	50/60Hz	G4	A++	110	>80	N/A	360	4200K	0.56	Instant Full Light	25,000	Non Dimmable	No	30mm x 10mm	>15,000
G4/LED/1.2W/SIL/64	G4 LED 1.2W SILICONE 6400K	5051203148971	100	1000	1.2W	12V	50/60Hz	G4	A++	110	>80	N/A	360	6400K	0.56	Instant Full Light	25,000	Non Dimmable	No	30mm x 10mm	>15,000
G80/LEDFIL/4W/BC	GLOBE LED FILAMENT 80MM 4W BC	5051203149060	10	50	4W	240V	50/60Hz	BC/B22	A++	400	>80	N/A	360	2700K	0.53	Instant Full Light	25,000	Non Dimmable	No	80mm x 118mm	>13,000
G80/LEDFIL/4W/ES	GLOBE LED FILAMENT 80MM 4W ES	5051203149091	10	50	4W	240V	50/60Hz	ES/E27	A++	400	>80	N/A	360	2700K	0.53	Instant Full Light	25,000	Non Dimmable	No	80mm x 118mm	>13,000
G9/LED/2.5W/2700K	240V 2.5W G9 LED 2700K	5051203148209	100	1000	2.5W	240V	50/60Hz	G9	A++	200	>80	N/A	360	2700K	0.9	Instant Full Light	30,000	Non Dimmable	No	47mm x 16mm	>15,000
G9/LED/2.5W/4200K	240V 2.5W G9 LED 4200K	5051203148643	100	1000	2.5W	240V	50/60Hz	G9	A++	200	>80	N/A	360	4200K	0.9	Instant Full Light	30,000	Non Dimmable	No	47mm x 16mm	>15,000
G9/LED/2.5W/6000K	240V 2.5W G9 LED 6000K	5051203148674	100	1000	2.5W	240V	50/60Hz	G9	A++	200	>80	N/A	360	6000K	0.9	Instant Full Light	30,000	Non Dimmable	No	47mm x 16mm	>15,000
G95/LEDFIL/4W/BC	GLOBE LED FILAMENT 95MM 4W BC	5051203149121	10	20	4W	240V	50/60Hz	BC/B22	A++	400	>80	N/A	360	2700K	0.55	Instant Full Light	25,000	Non Dimmable	No	95mm x 138mm	>13,000
G95/LEDFIL/4W/ES	GLOBE LED FILAMENT 95MM 4W ES	5051203149152	10	20	4W	240V	50/60Hz	ES/E27	A++	400	>80	N/A	360	2700K	0.55	Instant Full Light	25,000	Non Dimmable	No	95mm x 138mm	>13,000
GLS/LED/10W/BC3K	GLS LED 10W BC 3000K	5051203146335	10	100	10W	240V	50/60Hz	BC/B22	A+	800	>80	N/A	360	3000K	0.685	Instant Full Light	30,000	Non Dimmable	No	117mm X 60mm	>15,000
GLS/LED/8.5W/BC27	GLS LED 8.5W BC 2700K POLYCARB 110/240V	5051203151179	50	N/A	8.5W	110V-240V	50/60Hz	BC/B22	A+	806	>80	N/A	360	2700K	0.65	Instant Full Light	30,000	Non Dimmable	No	110mm x 60mm	>100,000
GLS/LED/8.5W/ES27	GLS LED 8.5W ES 2700K POLYCARB 110/240V	5051203151209	50	N/A	8.5W	110V-240V	50/60Hz	ES/E27	A+	806	>80	N/A	360	2700K	0.65	Instant Full Light	30,000	Non Dimmable	No	110mm x 60mm	>100,000
GLS/LEDFIL/6W/BC	LED FILAMENT GLS 6W BC	5051203147219	10	100	6W	240V	50/60Hz	BC/B22	A++	650	>80	N/A	360	2700K	0.52	Instant Full Light	25,000	Non Dimmable	No	104mm x 60mm	>13,000
GLS/LEDFIL/6W/ES	LED FILAMENT GLS 6W ES	5051203147608	10	100	6W	240V	50/60Hz	ES/E27	A++	650	>80	N/A	360	2700K	0.52	Instant Full Light	25,000	Non Dimmable	No	104mm x 60mm	>13,000
GLS/LEDSENS/6.5W/BC	GLS LED 6.5W BC SENSOR LAMP	5051203146977	10	100	6.5W	85V-265V	50/60Hz	BC/B22	A++	600	>80	N/A	360	2700K	0.5	Instant Full Light	30,000	Non Dimmable	No	118mm x 65mm	>100,000
GLS/LEDSENS/6.5W/ES	GLS LED 6.5W ES SENSOR LAMP	5051203147004	10	100	6.5W	85V-265V	50/60Hz	ES/E27	A++	600	>80	N/A	360	2700K	0.5	Instant Full Light	30,000	Non Dimmable	No	118mm x 65mm	>100,000
GLS/LEDSL/8.5W/BC64	110V-240V GLS LED 8.5W BC 6400K	5051203151230	50	N/A	8.5W	110V-240V	50/60Hz	BC/B22	A+	806	>80	N/A	360	6400K	0.65	Instant Full Light	30,000	Non Dimmable	No	110mm x 60mm	>100,000
GLS/LEDSL/8.5W/ES64	110V-240V GLS LED 8.5W ES 6400K	5051203151261	50	N/A	8.5W	110V-240V	50/60Hz	ES/E27	A+	806	>80	N/A	360	6400K	0.65	Instant Full Light	30,000	Non Dimmable	No	110mm x 60mm	>100,000
GOLF/LED/BC/CH/P	1W GOLFBALL BC LED COLOUR CHANGER	5051203144096	50	100	1W	240V	50/60Hz	BC/B22	A+		N/A	N/A	360		0.4	Instant Full Light	20,000	Non Dimmable	No	67mm x 45mm	>100,000
GOLF/LED/BC/WH/P	1W GOLFBALL L.E. 4 LED BC WHITE	5051203143266	50	100	1W	240V	50/60Hz	BC/B22	A+	50	>80	N/A	360	6500K	0.4	Instant Full Light	20,000	Non Dimmable	No	67mm x 45mm	>100,000



Detailed LED Specification

SKU	DESCRIPTION	EAN	INNER BOX	OUTER BOX	WATTS	VOLTS	FREQUENCY	BASE	ENERGY CLASS	LUMENS	CRI	USABLE FLUX IN 90° CONE	BEAM ANGLE	COLOUR TEMP IN KELVIN	POWER FACTOR	WARM UP TIME	AVERAGE LIFE IN HOURS	DIMMABLE	SUITABLE FOR ACCENT LIGHTING	DIMENSIONS	SWITCHING CYCLES
GOLF/LED/BC/WW/P	1W GOLFBALL L.E. 4 LED BC WARM WHITE	5051203147639	50	100	1W	240V	50/60Hz	BC/B22	A+	40	>80	N/A	360	3000K	0.4	Instant Full Light	20,000	Non Dimmable	No	67mm x 45mm	>100,000
GOLF/LED/BLUE/ES/P	1W GOLFBALL L.E. 4 LED ES BLUE	5051203148827	50	100	1W	240V	50/60Hz	ES/E27				N/A	N/A	360	0.4	Instant Full Light	20,000	Non Dimmable	No	67mm x 45mm	>100,000
GOLF/LED/BLUE/P	1W GOLFBALL L.E. 4 LED BC BLUE	5051203146861	50	100	1W	240V	50/60Hz	BC/B22				N/A	N/A	360	0.4	Instant Full Light	20,000	Non Dimmable	No	67mm x 45mm	>100,000
GOLF/LED/ES/CH/P	1W GOLFBALL BC LED COLOUR CHANGER	5051203148858	50	100	1W	240V	50/60Hz	ES/E27				N/A	N/A	360	0.4	Instant Full Light	20,000	Non Dimmable	No	67mm x 45mm	>100,000
GOLF/LED/ES/WH/P	1W GOLFBALL L.E. 4 LED ES WHITE	5051203148889	50	100	1W	240V	50/60Hz	ES/E27	A+	50		N/A	360	6500K	0.4	Instant Full Light	20,000	Non Dimmable	No	67mm x 45mm	>100,000
GOLF/LED/ES/WW/P	1W GOLFBALL L.E. 4 LED ES WARM WHITE	5051203148919	50	100	1W	240V	50/60Hz	ES/E27	A+	40		N/A	360	3000K	0.4	Instant Full Light	20,000	Non Dimmable	No	67mm x 45mm	>100,000
GOLF/LED/GREEN/ES/P	1W GOLFBALL L.E. 4 LED ES GREEN	5051203148797	50	100	1W	240V	50/60Hz	ES/E27				N/A	N/A	360	0.4	Instant Full Light	20,000	Non Dimmable	No	67mm x 45mm	>100,000
GOLF/LED/GREEN/P	1W GOLFBALL L.E. 4 LED BC GREEN	5051203148612	50	100	1W	240V	50/60Hz	BC/B22				N/A	N/A	360	0.4	Instant Full Light	20,000	Non Dimmable	No	67mm x 45mm	>100,000
GOLF/LED/RED/ES/P	1W GOLFBALL L.E. 4 LED ES RED	5051203148735	50	100	1W	240V	50/60Hz	ES/E27				N/A	N/A	360	0.4	Instant Full Light	20,000	Non Dimmable	No	67mm x 45mm	>100,000
GOLF/LED/RED/P	1W GOLFBALL L.E. 4 LED BC RED	5051203146892	50	100	1W	240V	50/60Hz	BC/B22				N/A	N/A	360	0.4	Instant Full Light	20,000	Non Dimmable	No	67mm x 45mm	>100,000
GOLF/LED/YELLOW/ES/P	1W GOLFBALL L.E. 4 LED ES YELLOW	5051203148766	50	100	1W	240V	50/60Hz	ES/E27				N/A	N/A	360	0.4	Instant Full Light	20,000	Non Dimmable	No	67mm x 45mm	>100,000
GOLF/LED/YELLOW/P	1W GOLFBALL L.E. 4 LED BC YELLOW	5051203147516	50	100	1W	240V	50/60Hz	BC/B22				N/A	N/A	360	0.4	Instant Full Light	20,000	Non Dimmable	No	67mm x 45mm	>100,000
GOLF/LEDFIL3W/BC	LED FILAMENT GOLF BALL 3W BC	5051203149411	10	100	3W	240V	50/60Hz	BC/B22	A++	320	>80	N/A	360	2700K	0.5	Instant Full Light	25,000	Non Dimmable	No	80mm x 45mm	>13,000
GOLF/LEDFIL3W/ES	LED FILAMENT GOLF BALL 3W ES	5051203149442	10	100	3W	240V	50/60Hz	ES/E27	A++	320	>80	N/A	360	2700K	0.5	Instant Full Light	25,000	Non Dimmable	No	80mm x 45mm	>13,000
GOLF/LEDFIL3W/SES	LED FILAMENT GOLF BALL 3W SES	5051203149473	10	100	3W	240V	50/60Hz	SES/E14	A++	320	>80	N/A	360	2700K	0.5	Instant Full Light	25,000	Non Dimmable	No	80mm x 45mm	>13,000
GOLFLED4WBC3K	GOLFBALL LED 4W BC 3000K	5051203146397	25	100	4W	240V	50/60Hz	BC/B22	A	300	>80	N/A	360	3000K	0.54	Instant Full Light	30,000	Non Dimmable	No	73mm x 45mm	>15,000
GOLFLED4WSES3K	GOLFBALL LED 4W SES 3000K	5051203146427	25	100	4W	240V	50/60Hz	SES/E14	A	300	>80	N/A	360	3000K	0.54	Instant Full Light	30,000	Non Dimmable	No	80mm x 45mm	>15,000
GU10/LED/48/BLUE	GU10 48 CLUSTER LED HIGH POWER BLUE	5051203145482	20	200	2W	240V	50/60Hz	GU10				N/A	N/A	120	0.48	Instant Full Light	30,000	Non Dimmable	Yes	56mm x 50mm	>100,000
GU10/LED/48/CW	GU10 48 LED CLUSTER COOL WHITE	5051203143990	20	200	2W	240V	50/60Hz	GU10	A++	220		180	120	3000K		Instant Full Light	30,000	Non Dimmable	Yes	56mm x 50mm	>100,000
GU10/LED/48/GREEN	GU10 48 CLUSTER LED HIGH POWER GREEN	5051203145512	20	200	2W	240V	50/60Hz	GU10				N/A	N/A	120	0.49	Instant Full Light	30,000	Non Dimmable	Yes	56mm x 50mm	>100,000
GOLF/LED/YELLOW/ES/P	1W GOLFBALL L.E. 4 LED ES YELLOW	5051203148766	50	100	1W	240V	50/60Hz	ES/E27				N/A	N/A	360	0.4	Instant Full Light	20,000	Non Dimmable	No	67mm x 45mm	>100,000
GOLF/LED/YELLOW/P	1W GOLFBALL L.E. 4 LED BC YELLOW	5051203147516	50	100	1W	240V	50/60Hz	BC/B22				N/A	N/A	360	0.4	Instant Full Light	20,000	Non Dimmable	No	67mm x 45mm	>100,000
GOLF/LEDFIL3W/BC	LED FILAMENT GOLF BALL 3W BC	5051203149411	10	100	3W	240V	50/60Hz	BC/B22	A++	320	>80	N/A	360	2700K	0.5	Instant Full Light	25,000	Non Dimmable	No	80mm x 45mm	>13,000
GOLF/LEDFIL3W/ES	LED FILAMENT GOLF BALL 3W ES	5051203149442	10	100	3W	240V	50/60Hz	ES/E27	A++	320	>80	N/A	360	2700K	0.5	Instant Full Light	25,000	Non Dimmable	No	80mm x 45mm	>13,000
GOLF/LEDFIL3W/SES	LED FILAMENT GOLF BALL 3W SES	5051203149473	10	100	3W	240V	50/60Hz	SES/E14	A++	320	>80	N/A	360	2700K	0.5	Instant Full Light	25,000	Non Dimmable	No	80mm x 45mm	>13,000
GOLFLED4WBC3K	GOLFBALL LED 4W BC 3000K	5051203146397	25	100	4W	240V	50/60Hz	BC/B22	A	300	>80	N/A	360	3000K	0.54	Instant Full Light	30,000	Non Dimmable	No	73mm x 45mm	>15,000
GOLFLED4WSES3K	GOLFBALL LED 4W SES 3000K	5051203146427	25	100	4W	240V	50/60Hz	SES/E14	A	300	>80	N/A	360	3000K	0.54	Instant Full Light	30,000	Non Dimmable	No	80mm x 45mm	>15,000
GU10/LED/48/BLUE	GU10 48 CLUSTER LED HIGH POWER BLUE	5051203145482	20	200	2W	240V	50/60Hz	GU10				N/A	N/A	120	0.48	Instant Full Light	30,000	Non Dimmable	Yes	56mm x 50mm	>100,000



Detailed LED Specification

SKU	DESCRIPTION	EAN	INNER BOX	OUTER BOX	WATTS	VOLTS	FREQUENCY	BASE	ENERGY CLASS	LUMENS	CRI	USABLE FLUX IN 90° CONE	BEAM ANGLE	COLOUR TEMP IN KELVIN	POWER FACTOR	WARM UP TIME	AVERAGE LIFE IN HOURS	DIMMABLE	SUITABLE FOR ACCENT LIGHTING	DIMENSIONS	SWITCHING CYCLES
GU10/LED/48/CW	GU10 48 LED CLUSTER COOL WHITE	5051203143990	20	200	2W	240V	50/60Hz	GU10	A++	220		180	120	3000K		Instant Full Light	30,000	Non Dimmable	Yes	56mm x 50mm	>100,000
GU10/LED/48/GREEN	GU10 48 CLUSTER LED HIGH POWER GREEN	5051203145512	20	200	2W	240V	50/60Hz	GU10			N/A	N/A	120		0.49	Instant Full Light	30,000	Non Dimmable	Yes	56mm x 50mm	>100,000
GU10/LED/48/MAG	GU10 48 CLUSTER LED HIGH POWER MAGENTA	5051203145543	20	200	2W	240V	50/60Hz	GU10			N/A	N/A	120		0.48	Instant Full Light	30,000	Non Dimmable	Yes	56mm x 50mm	>100,000
GU10/LED/48/ORANGE	GU10 48 CLUSTER LED HIGH POWER ORANGE	5051203145574	20	200	2W	240V	50/60Hz	GU10			N/A	N/A	120		0.48	Instant Full Light	30,000	Non Dimmable	Yes	56mm x 50mm	>100,000
GU10/LED/48/RED	GU10 48 CLUSTER LED HIGH POWER RED	5051203145604	20	200	2W	240V	50/60Hz	GU10			N/A	N/A	120		0.48	Instant Full Light	30,000	Non Dimmable	Yes	56mm x 50mm	>100,000
GU10/LED/48/WW	GU10 48 LED CLUSTER WARM WHITE	5051203143969	20	200	2W	240V	50/60Hz	GU10	A++	180		180	120	3000K		Instant Full Light	30,000	Non Dimmable	Yes	56mm x 50mm	>100,000
GU10/LED/7W/AMBER	7W GU10 240V AMBER	5051203150264	10	200	7W	170V-265V	50/60Hz	GU10			N/A	N/A	120		0.5	Instant Full Light	30,000	Non Dimmable	Yes	55mm x 50mm	>15,000
GU10/LED/7W/BLUE	7W GU10 240V BLUE	5051203150295	10	200	7W	170V-265V	50/60Hz	GU10			N/A	N/A	120		0.52	Instant Full Light	30,000	Non Dimmable	Yes	55mm x 50mm	>15,000
GU10/LED/7W/GREEN	7W GU10 240V GREEN	5051203150325	10	200	7W	170V-265V	50/60Hz	GU10			N/A	N/A	120		0.5	Instant Full Light	30,000	Non Dimmable	Yes	55mm x 50mm	>15,000
GU10/LED/7W/MAGENTA	7W GU10 240V MAGENTA	5051203150356	10	200	7W	170V-265V	50/60Hz	GU10			N/A	N/A	120		0.55	Instant Full Light	30,000	Non Dimmable	Yes	55mm x 50mm	>15,000
GU10/LED/7W/RED	7W GU10 240V RED	5051203150387	10	200	7W	170V-265V	50/60Hz	GU10			N/A	N/A	120		0.52	Instant Full Light	30,000	Non Dimmable	Yes	55mm x 50mm	>15,000
GU10/LED/CHANGER	GU10 LED RGB COLOUR CHANGER 18 CLUSTER	5051203023872	20	200	2W	240V	50/60Hz	GU10			N/A	N/A	120		0.06	Instant Full Light	30,000	Non Dimmable	Yes	56mm X 50mm	>15,000
GU10/LED5W/CWRF	GU10 LED 5W DAYLIGHT 6000K	5051203145987	50	100	5W	240V	50/60Hz	GU10	A	330	>80	274	38	6000K	0.51	Instant Full Light	30,000	Non Dimmable	Yes	56mm X 50mm	>100,000
GU10/LED6.8WDIM6K	GU10 LED 6.8W DIMMABLE 6000K	5051203146526	50	100	6.8W	240V	50/60Hz	GU10	A	460	>80	400	38	6000K	0.62	Instant Full Light	30,000	Dimmable	Yes	56mm x 50mm	>15,000
GU10/WH/LED/5W40	GU10 LED 5W 4000K 380LM	5051203149305	10	100	5W	240V	50/60Hz	GU10	A+	400	>80	370	36	4000K	0.5	Instant Full Light	25,000	Non Dimmable	Yes	54mm x 50mm	>12,500
LED/600600/32W55	600X600MM 32W LED PANEL 5500K	5051203147547	1	1	32W	240V	50/60Hz	N/A	A+	3400	>70	N/A	120	5500K	0.95	Instant Full Light	40,000	Non Dimmable	No	600mm x 600mm x 10mm	>15,000
LED/FLOODW/110/30W/6K	110V SITE LED FLOODLIGHT 30W 6K 3M LEAD	5051203151292	20	N/A	30W	110V	50/60Hz	N/A	A+	2850	>80	N/A	90 X 110	6000K	0.993	Instant Full Light	50,000	Non Dimmable	No	180mm x 162mm x 50mm	>15,000
LED/FLOODW/110/50W/6K	110V SITE LED FLOODLIGHT 50W 6K 3M LEAD	5051203151315	12	N/A	50w	110V	50/60Hz	N/A	A+	4750	>80	N/A	90 X 110	6000K	0.993	Instant Full Light	50,000	Non Dimmable	No	215mm x210mm x 50mm	>15,000
LED/FLOODW/240V/30W/6K	240V LED FLOODLIGHT 30W 6K 1M LEAD	5051203151339	20	N/A	30W	240V	50/60Hz	N/A	A+	2850	>80	N/A	90 X 110	6000K	0.993	Instant Full Light	50,000	Non Dimmable	No	180mm x 162mm x 50mm	>15,000
LED/FLOODW/240V/50W/6K	240V LED FLOODLIGHT 50W 6K 1M LEAD	5051203151353	12	N/A	50w	240V	50/60Hz	N/A	A+	4750	>80	N/A	90 X 110	6000K	0.993	Instant Full Light	50,000	Non Dimmable	No	215mm x210mm x 50mm	>15,000
LED/FLSP/100W/6K	LED FLOOD 240V 100W 6000K BLACK	5051203151100	1	1	100W	240V	50/60Hz	N/A	A+	9500	>80	N/A	90 X 120	6000K	0.995	Instant Full Light	50,000	Non Dimmable	No	305mm x 391mm x 76mm	>15,000
LED/FLSP/10W/3K	LED FLOOD 240V 10W 3000K BLACK	5051203150981	1	1	10W	240V	50/60Hz	N/A	A+	950	>80	N/A	90 X 120	3000K	0.995	Instant Full Light	50,000	Non Dimmable	No	90mm x 121mm x 36mm	>15,000
LED/FLSP/10W/6K	LED FLOOD 240V 10W 6000K BLACK	5051203151001	1	1	10W	240V	50/60Hz	N/A	A+	950	>80	N/A	90 X 120	6000K	0.995	Instant Full Light	50,000	Non Dimmable	No	90mm x 121mm x 36mm	>15,000
LED/FLSP/30W/3K	LED FLOOD 240V 30W 3000K BLACK	5051203151025	1	1	30W	240V	50/60Hz	N/A	A+	2850	>80	N/A	90 X 120	3000K	0.995	Instant Full Light	50,000	Non Dimmable	No	140mm x 190mm x 59mm	>15,000
LED/FLSP/30W/6K	LED FLOOD 240V 30W 6000K BLACK	5051203151049	1	1	30W	240V	50/60Hz	N/A	A+	2850	>80	N/A	90 X 120	6000K	0.995	Instant Full Light	50,000	Non Dimmable	No	140mm x 190mm x 59mm	>15,000
LED/FLSP/50W/3K	LED FLOOD 240V 50W 3000K BLACK	5051203151063	1	1	50W	240V	50/60Hz	N/A	A+	4750	>80	N/A	90 X 120	3000K	0.995	Instant Full Light	50,000	Non Dimmable	No	180mm x 245mm x 70mm	>15,000
LED/FLSP/50W/6K	LED FLOOD 240V 50W 6000K BLACK	5051203151087	1	1	50W	240V	50/60Hz	N/A	A+	4750	>80	N/A	90 X 120	6000K	0.995	Instant Full Light	50,000	Non Dimmable	No	180mm x 245mm x 70mm	>15,000
LED/PD14W/5KIP	LED PRODISC AQUA 14W 5000K	5051203147561	1	1	14W	220V-240V	50/60Hz	N/A	A+	950	>80	N/A	120	5000K		Instant Full Light	30,000	Non Dimmable	No	340mm x 112mm	>15,000



Detailed LED Specification

SKU	DESCRIPTION	EAN	INNER BOX	OUTER BOX	WATTS	VOLTS	FREQUENCY	BASE	ENERGY CLASS	LUMENS	CRI	USABLE FLUX IN 90° CONE	BEAM ANGLE	COLOUR TEMP IN KELVIN	POWER FACTOR	WARM UP TIME	AVERAGE LIFE IN HOURS	DIMMABLE	SUITABLE FOR ACCENT LIGHTING	DIMENSIONS	SWITCHING CYCLES
LED/PD14W/5KMSIP	LED PRODISC 14W 5K MICROWAVE SENSOR	5051203147585	1	1	14W	220V-240V	50/60Hz	N/A	A+	950	>80	N/A	120	5000K		Instant Full Light	30,000	Non Dimmable	No	340mm x 112mm	>15,000
LED/PDIP/12W/5KG	LED PRODISC IP65 12W 5K GREY		1	1	12W	100v-240v	50/60Hz	N/A	A+	600	>80	N/A	120	5000K		Instant Full Light	30,000	Non Dimmable	No	180mm x 70mm	>15,000
LED/PDIP/12W/5KW	LED PRODISC IP65 12W 5K WHITE		1	1	12W	100v-240v	50/60Hz	N/A	A+	600	>80	N/A	120	5000K		Instant Full Light	30,000	Non Dimmable	No	180mm x 70mm	>15,000
LED/PDIP/23W5K	LED PRODISC IP65 23W 5K	5051203146670	1	1	23W	220V-240V	50/60Hz	N/A	A+	1360	>80	N/A	120	5000K		Instant Full Light	30,000	Non Dimmable	No	360mm x 120mm	>15,000
LED/PDIP/23W5KMS	LED PRODISC IP65 23W 5K MICROWAVE SENSOR	5051203146687	1	1	23W	220V-240V	50/60Hz	N/A	A+	1360	>80	N/A	120	5000K		Instant Full Light	30,000	Non Dimmable	No	360mm x 120mm	>15,000
LED/PDM/10W/5K	LED PRODISC MINI 10W 5K	5051203146694	1	1	10W	220V-240V	50/60Hz	N/A	A+	820	>80	N/A	120	5000K		Instant Full Light	30,000	Non Dimmable	No	280mm x 80mm	>15,000
LED/PDM/10W/5KMS	LED PRODISC MINI 10W 5K MICROWAVE SENSOR	5051203146700	1	1	10W	220V-240V	50/60Hz	N/A	A+	820	>80	N/A	120	5000K		Instant Full Light	30,000	Non Dimmable	No	280mm x 80mm	>15,000
MR11/LED/BLUE	MR11 LED BLUE 12V GX5.3	5051203044426	10	200	1.5W	12V	50/60Hz	GU4			N/A	N/A	120		0.82	Instant Full Light	30,000	Non Dimmable	Yes	35mm X 35mm	>100,000
MR11/LED/GREEN	MR11 LED GREEN 12V GX5.3	5051203044433	10	200	1.5W	12V	50/60Hz	GU4			N/A	N/A	120		0.82	Instant Full Light	30,000	Non Dimmable	Yes	35mm X 35mm	>100,000
MR11/LED/MAGENTA	MR11 LED MAGENTA 12V GX5.3	5051203044440	10	200	1.5W	12V	50/60Hz	GU4			N/A	N/A	120		0.82	Instant Full Light	30,000	Non Dimmable	Yes	35mm X 35mm	>100,000
MR11/LED/ORANGE	MR11 LED ORANGE 12V GX5.3	5051203044457	10	200	1.5W	12V	50/60Hz	GU4			N/A	N/A	120		0.82	Instant Full Light	30,000	Non Dimmable	Yes	35mm X 35mm	>100,000
MR11/LED/RED	MR11 LED RED 12V GX5.3	5051203044464	10	200	1.5W	12V	50/60Hz	GU4			N/A	N/A	120		0.82	Instant Full Light	30,000	Non Dimmable	Yes	35mm X 35mm	>100,000
MR11/LED/WHITE	MR11 LED WHITE 12V GX5.3	5051203044488	10	200	1.5W	12V	50/60Hz	GU4	A++	120	N/A	N/A	120	6000K	0.82	Instant Full Light	30,000	Non Dimmable	Yes	35mm X 35mm	>100,000
MR16/LED/48/BLUE	MR16 48 CLUSTER LED HIGH POWER BLUE	5051203145635	50	200	2W	12V	50/60Hz	GU5.3			N/A	N/A	120		0.5	Instant Full Light	30,000	Non Dimmable	Yes	48mm x 50mm	>100,000
MR16/LED/48/CW	MR16 48 CLUSTER LED HIGH POWER WHITE	5051203145697	50	200	2W	12V	50/60Hz	GU5.3	A++	149	>80	149	120	6500K	0.675	Instant Full Light	30,000	Non Dimmable	Yes	48mm x 50mm	>100,000
MR16/LED/48/MAG	MR16 48 CLUSTER LED HIGH POWER MAGENTA	5051203145666	50	200	2W	12V	50/60Hz	GU5.3			N/A	N/A	120		0.675	Instant Full Light	30,000	Non Dimmable	Yes	48mm x 50mm	>100,000
MR16/LED/48/ORANGE	LED MR16 51MM ORANGE 12V GX5.3	5051203146717	50	200	2W	12V	50/60Hz	GU5.3			N/A	N/A	120		0.675	Instant Full Light	30,000	Non Dimmable	Yes	48mm x 50mm	>100,000
MR16/LED/48/RED	MR16 48 CLUSTER LED HIGH POWER RED	5051203145697	50	200	2W	12V	50/60Hz	GU5.3			N/A	N/A	120		0.675	Instant Full Light	30,000	Non Dimmable	Yes	48mm x 50mm	>100,000
MR16/LED/7W/2700K	MR16 12V LED 7W 2700K	5051203150929	10	200	7W	12V	50/60Hz	GU5.3	A	480	2700K	480	120	2700K	0.55	Instant Full Light	30,000	Non Dimmable	Yes	48mm x 50mm	>15,000
MR16/LED/7W/6400K	MR16 12V LED 7W 6400K	5051203150950	10	200	7W	12V	50/60Hz	GU5.3	A	480	6400K	480	120	6400K	0.55	Instant Full Light	30,000	Non Dimmable	Yes	48mm x 50mm	>15,000
MR16/LED/7W/AMBER	MR16 12V LED 7W AMBER	5051203150639	10	200	7W	12V	50/60Hz	GU5.3			N/A	N/A	120		0.5	Instant Full Light	30,000	Non Dimmable	Yes	48mm x 50mm	>15,000
MR16/LED/7W/BLUE	MR16 12V LED 7W BLUE	5051203150660	10	200	7W	12V	50/60Hz	GU5.3			N/A	N/A	120		0.5	Instant Full Light	30,000	Non Dimmable	Yes	48mm x 50mm	>15,000
MR16/LED/7W/GREEN	MR16 12V LED 7W GREEN	5051203150691	10	200	7W	12V	50/60Hz	GU5.3			N/A	N/A	120		0.52	Instant Full Light	30,000	Non Dimmable	Yes	48mm x 50mm	>15,000
MR16/LED/7W/MAGENTA	MR16 12V 7W LED MAGENTA	5051203150721	10	200	7W	12V	50/60Hz	GU5.3			N/A	N/A	120		0.54	Instant Full Light	30,000	Non Dimmable	Yes	48mm x 50mm	>15,000
MR16/LED/7W/RED	MR16 12V LED 7W RED	5051203150752	10	200	7W	12V	50/60Hz	GU5.3			N/A	N/A	120		0.5	Instant Full Light	30,000	Non Dimmable	Yes	48mm x 50mm	>15,000
MR16/LED/GREEN	LED MR16 51MM GREEN 12V GX5.3	5051203044587	50	200	2W	12V	50/60Hz	GU5.3			N/A	N/A	120			Instant Full Light		Non Dimmable	Yes	48mm x 50mm	>100,000
PAR38/LED/15W/ES/3K	PAR 38 LED 15W ES 3000K	5051203147394	10	20	15W	240V	50/60Hz	ES/E27	A	1277	>80	1189	45	3000K	0.9	Instant Full Light	30,000	Non Dimmable	Yes	121mm X 128mm	>15,000
PS160/LED/FIL/4W/ES/DS	PS 160 LED FIL 4W ES 2200K DIM SMOKED GLASS SPIRAL FILAMENT	5051203150547	1	6	4W	240V	50/60Hz	ES/E27	A	130	>80	N/A	360	2200K	0.85	Instant Full Light	25,000	Dimmable	No	320mm X 162mm	>13,000



Detailed LED Specification

SKU	DESCRIPTION	EAN	INNER BOX	OUTER BOX	WATTS	VOLTS	FREQUENCY	BASE	ENERGY CLASS	LUMENS	CRI	USABLE FLUX IN 90° CONE	BEAM ANGLE	COLOUR TEMP IN KELVIN	POWER FACTOR	WARM UP TIME	AVERAGE LIFE IN HOURS	DIMMABLE	SUITABLE FOR ACCENT LIGHTING	DIMENSIONS	SWITCHING CYCLES
R080/LED/12W/ES3K	R080 LED 12W ES 170-265V 3000K	5051203146909	25	50	12W	240V	50/60Hz	ES/E27	A+	910	>80	1050 (110° cone)	110	3000K	0.54	Instant Full Light	35,000	Non Dimmable	Yes	116mm X 80mm	>15,000
R080/LED/12W/ES6K	R080 LED 12W ES 170-265V 6000K	5051203146704	25	50	12W	240V	50/60Hz	ES/E27	A+	910	>80	1050 (110° cone)	110	6000K	0.54	Instant Full Light	35,000	Non Dimmable	Yes	116mm X 80mm	>15,000
R50/LED/5W/SES3K	R50 LED 5W E14 3000K 220 - 240V	5051203146182	25	50	5W	240V	50/60Hz	SES/E14	A+	350	>80	450 (120° cone)	110	3000K	0.52	Instant Full Light	35,000	Non Dimmable	Yes	85mm X 50mm	>15,000
R50/LED/5W/SES6K	R50 LED 5W E14 6000K 220 - 240V	5051203147295	25	50	5W	240V	50/60Hz	SES/E14	A+	350	>80	450 (120° cone)	110	6000K	0.52	Instant Full Light	35,000	Non Dimmable	Yes	85mm X 50mm	>15,000
R63/LED/10W/ES3K	R63 LED 10W E27 3000K 85 - 265V	5051203146212	25	50	10W	240V	50/60Hz	ES/E27	A+	690	>80	750 (110° cone)	110	3000K	0.54	Instant Full Light	35,000	Non Dimmable	Yes	105mm X 63mm	>15,000
R63/LED/10W/ES6K	R63 LED 10W E27 6000K 85 - 265V	5051203147325	25	50	10W	240V	50/60Hz	ES/E27	A+	690	>80	750 (110° cone)	110	6000K	0.54	Instant Full Light	35,000	Non Dimmable	Yes	105mm X 63mm	>15,000
R7S/LEDSL/10W/3K/118	R7S LED 10W 3000K 118MM 110V-240V	5051203150202	10	100	10W	110V-240V	50/60Hz	R7S	A++	800	>80	N/A	360	3000K	0.52	Instant Full Light	40,000	Non Dimmable	No	118mm X 22mm	>13,000
R7S/LEDSL/6W/3K/78	R7S LED 6W 3000K 78MM 110V-240V	5051203150233	10	100	6W	110V-240V	50/60Hz	R7S	A++	1200	>80	N/A	360	3000K	0.52	Instant Full Light	40,000	Non Dimmable	No	78mm X 22mm	>13,000
ST64/LEDFIL/4WBCCRACKLE	ST64 LED FILAMENT 4W BC 2200K CRACKLE DIM	5051203150035	10	40	4W	240V	50/60Hz	BC/B22	A+	340	>80	N/A	360	2200K	0.7	Instant Full Light	25,000	Non Dimmable	No	138mm x 64mm	>13,000
ST64/LEDFIL/4WBCG	SQUIRREL CAGE LED 4W BC GOLD	5051203147998	10	40	4W	240V	50/60Hz	BC/B22	A++	400	>80	N/A	360	2700K	0.5	Instant Full Light	25,000	Non Dimmable	No	138mm x 64mm	>13,000
ST64/LEDFIL/4WBCG22KD	ST64 LED FILAMENT 4W BC GOLD 2200K DIM	5051203149763	10	40	4W	240V	50/60Hz	BC/B22	A+	340	>80	N/A	360	2200K	0.63	Instant Full Light	25,000	Dimmable	No	138mm x 64mm	>13,000
ST64/LEDFIL/4WESCRACKLE	ST64 LED FILAMENT 4W ES 2200K CRACKLE DIM	5051203150004	10	40	4W	240V	50/60Hz	ES/E27	A+	340	>80	N/A	360	2200K	0.7	Instant Full Light	25,000	Dimmable	No	138mm x 64mm	>13,000
ST64/LEDFIL/4WESG	SQUIRREL CAGE LED 4W ES GOLD	5051203148025	10	40	4W	240V	50/60Hz	ES/E27	A++	400	>80	N/A	360	2700K	0.54	Instant Full Light	25,000	Non Dimmable	No	138mm x 64mm	>13,000
ST64/LEDFIL/4WESG22KD	ST64 LED FILAMENT 4W ES GOLD 2200K DIM	5051203149794	10	40	4W	240V	50/60Hz	ES/E27	A+	340	>80	N/A	360	2220K	0.58	Instant Full Light	25,000	Dimmable	No	138mm x 64mm	>13,000
T8L/2FT/10W/CDL/VDE	T8 LED 2FT 10W CDL VDE SPEC		1	1	10W	85V-265V	50/60Hz	G13	A++	1100	>80	N/A	120	5500K	0.924	Instant Full Light	40,000	Non Dimmable	No	600mm x 26mm	>30,000
T8L/4FT/18W/CDL/VDE	T8 LED 4FT 18W CDL VDE SPEC		1	1	18W	85V-265V	50/60Hz	G13	A++	2000	>80	N/A	120	5500K	0.94	Instant Full Light	40,000	Non Dimmable	No	1200mm x 26mm	>30,000
T8L/5FT/24W/CDL/VDE	T8 LED 5FT 24W CDL VDE SPEC		1	1	24W	85V-265V	50/60HZ	G13	A++	2600	>80	N/A	120	5500K	0.94	Instant Full Light	40,000	Non Dimmable	No	1500mm x 26mm	>30,000
T8L/6FT/28W/CDL/VDE	T8 LED 6FT 28W CDL VDE SPEC		1	1	28W	85V-265V	50/60Hz	G13	A++	3100	>80	N/A	120	5500K	0.94	Instant Full Light	40,000	Non Dimmable	No	1800mm x 26mm	>30,000
T8L/8FT/40W/CDL	T8 LED 8FT 40W CDL OPAL ROTATE	5051203148193	1	12	40W	85V-265V	50/60Hz	G13	A++	4400	>80	N/A	120	5500K	0.915	Instant Full Light	40,000	Non Dimmable	No	2400mm x 26mm	>30,000