



FUNKY FILAMENTS

pro lite

Star Effect Globes





1.7W

50Lm

2100K



1.7W



POLYCARBONATE

G95

Coloured Filaments



ST64



T45

Smoked Filaments



4W

130Lm

2200K



PS160



4W

130Lm

2200K



GLOBES

Crackle Effects



6W

400Lm

2200K



Dimmable

4W

340Lm



2200K



Dimmable

G125
ST64





Gold Tint Filament



4W

340Lm

2200K

138mm
64mm



Dimmable

ST64

GLS & Golf Ball



7W

770Lm

2700K



4W

400Lm

2700K



GLS
G45

Globes



6W

600Lm

2700K



4W

400Lm

2700K



4W

400Lm

2700K



G125

G95

G80

C35



4W

400Lm

2700K



C35

4W

400Lm

2700K



C35 Flame Tip



Specifications

Prolite Funky Filament lamps have an average lamp life of 25,000 hours and are supplied with a 2 year warranty from date of invoice. Unless otherwise stated all Prolite Funky Filament lamps are 240V Mains input 50-60Hz. Our ST64 and T45 coloured lamp ranges are a wide ranging input voltage 110–240V.

PAGE 6

PRODUCT CODE	DESCRIPTION	DIMENSIONS	DIMMABLE
G95/LED/STAR/BLUE	G95 STAR EFFECT 1.7W ES BLUE	ø95mm x 138mm	No
G95/LED/STAR/GREEN	G95 STAR EFFECT 1.7W ES GREEN	ø95mm x 138mm	No
G95/LED/STAR/MAGENTA	G95 STAR EFFECT 1.7W ES MAGENTA	ø95mm x 138mm	No
G95/LED/STAR/RED	G95 STAR EFFECT 1.7W ES RED	ø95mm x 138mm	No
G95/LED/STAR/RGB	G95 STAR EFFECT 1.7W ES RGB CHANGER	ø95mm x 138mm	No
G95/LED/STAR/WW	G95 STAR EFFECT 1.7W 50lm ES 2100K	ø95mm x 138mm	No

PAGE 8

PRODUCT CODE	DESCRIPTION	DIMENSIONS	DIMMABLE
FUNKYFIL/ST64/4W/ES/PINK	ST64 4W ES PINK	ø64mm x 138mm	No
FUNKYFIL/ST64/4W/ES/YELLOW	ST64 4W ES YELLOW	ø64mm x 138mm	No
FUNKYFIL/ST64/4W/ES/RED	ST64 4W ES RED	ø64mm x 138mm	No
FUNKYFIL/ST64/4W/ES/GREEN	ST64 4W ES GREEN	ø64mm x 138mm	No
FUNKYFIL/ST64/4W/ES/BLUE	ST64 4W ES BLUE	ø64mm x 138mm	No
FUNKYFIL/ST64/4W/ES/MAGENTA	ST64 4W ES MAGENTA	ø64mm x 138mm	No

PAGE 9

PRODUCT CODE	DESCRIPTION	DIMENSIONS	DIMMABLE
FUNKYFIL/T45/4W/ES/GREEN	T45 4W ES GREEN	ø45mm x 110mm	No
FUNKYFIL/T45/4W/ES/MAGENTA	T45 4W ES MAGENTA	ø45mm x 110mm	No
FUNKYFIL/T45/4W/ES/YELLOW	T45 4W ES YELLOW	ø45mm x 110mm	No
FUNKYFIL/T45/4W/ES/RED	T45 4W ES RED	ø45mm x 110mm	No
FUNKYFIL/T45/4W/ES/BLUE	T45 4W ES BLUE	ø45mm x 110mm	No
FUNKYFIL/T45/4W/ES/PINK	T45 4W ES PINK	ø45mm x 110mm	No

PAGE 10

PRODUCT CODE	DESCRIPTION	DIMENSIONS	DIMMABLE
PS160/LEDFIL/4W/ES/DS	PS160 4W 130lm ES 2200K SMOKED	ø162mm x 320mm	Yes

PAGE 11

PRODUCT CODE	DESCRIPTION	DIMENSIONS	DIMMABLE
G125/LEDFIL/4W/ES/DS	G125 4W 130lm ES 2200K SMOKED	ø125mm x 176mm	Yes
G200/LEDFIL/4W/ES/DS	G200 4W 130lm ES 2200K SMOKED	ø200mm x 310mm	Yes

PAGE 12

PRODUCT CODE	DESCRIPTION	DIMENSIONS	DIMMABLE
G125/LEDFIL/6W/ES22KDC	G125 6W 400lm ES 2200K CRACKLE	ø125mm x 176mm	Yes
ST64/LEDFIL/4WBCCRACKLE	ST64 4W 340lm BC 2200K CRACKLE	ø64mm x 138mm	Yes
ST64/LEDFIL/4WESCRACKLE	ST64 4W 340lm ES 2200K CRACKLE	ø64mm x 138mm	Yes

PAGE 15

PRODUCT CODE	DESCRIPTION	DIMENSIONS	DIMMABLE
ST64/LEDFIL/4WBCG22KD	ST64 4W 340lm BC 2200K GOLD TINT	ø64mm x 138mm	Yes
ST64/LEDFIL/4WESG22KD	ST64 4W 340lm ES 2200K GOLD TINT	ø64mm x 138mm	Yes

PAGE 16

PRODUCT CODE	DESCRIPTION	DIMENSIONS	DIMMABLE
GLS/FILDIM/7W/BC	GLS 7W 770lm BC 2700K	ø60mm x 104mm	Yes
GLS/FILDIM/7W/ES	GLS 7W 770lm ES 2700K	ø60mm x 104mm	Yes
GOLF/LEDFIL/4WBC	G45 4W 400lm BC 2700K	ø45mm x 75mm	No
GOLF/LEDFIL/4WES	G45 4W 400lm ES 2700K	ø45mm x 75mm	No
GOLF/LEDFIL/4WSES	G45 4W 400lm SES 2700K	ø45mm x 75mm	No

PAGE 17

PRODUCT CODE	DESCRIPTION	DIMENSIONS	DIMMABLE
G125/LEDFIL/6W/ES	G125 6W 600lm ES 2700K	ø125mm x 176mm	No
G125/LEDFIL/6W/ES22D	G125 6W 550lm ES 2200K	ø125mm x 175mm	Yes
G95/LEDFIL/4W/BC	G95 4W 400lm BC 2700K	ø95mm x 138mm	No
G95/LEDFIL/4W/ES	G95 4W 400lm ES 2700K	ø95mm x 138mm	No
G80/LEDFIL/4W/BC	G80 4W 400lm BC 2700K	ø80mm x 118mm	No
G80/LEDFIL/4W/ES	G80 4W 400lm ES 2700K	ø80mm x 118mm	No

PRODUCT CODE	DESCRIPTION	DIMENSIONS	DIMMABLE
CEL/LEDFIL/4WBC	C35 4W 400lm BC 2700K	ø35mm x 95mm	No
CEL/LEDFIL/4WES	C35 4W 400lm ES 2700K	ø35mm x 95mm	No
CEL/LEDFIL/4WSBC	C35 4W 400lm SBC 2700K	ø35mm x 95mm	No
CEL/LEDFIL/4WSES	C35 4W 400lm SES 2700K	ø35mm x 95mm	No
CEL/LEDFIL/4WBCD	C35 4W 370lm BC 2700K	ø35mm x 98mm	Yes
CEL/LEDFIL/4WSBCD	C35 4W 370lm SBC 2700K	ø35mm x 98mm	Yes
CEL/LEDFIL/4WSESD	C35 4W 370lm SES 2700K	ø35mm x 98mm	Yes
CELF/LEDFIL/4WBC	C35 FLAME TIP 4W 400lm BC 2700K	ø35mm x 120mm	No
CELF/LEDFIL/4WSBC	C35 FLAME TIP 4W 400lm SBC 2700K	ø35mm x 120mm	No
CELF/LEDFIL/4WSES	C35 FLAME TIP 4W 400lm SES 2700K	ø35mm x 120mm	No

